MP-PAPP[™] **MULTI-POSITION**

POWERED AIR PURIFYING RESPIRATOR











MP-PAPD[™] MULTI-POSITION

POWERED AIR PURIFYING RESPIRATOR

Avon Protection introduces a new generation of CBRN Powered Air Purifying Respirator (PAPR), the Avon MP-PAPR system.

A departure from traditional rigid plastic construction systems, the Avon MP-PAPR is the world's first flexible PAPR unit, constructed from the same field proven chlorobutyl rubber, as used for the Avon 50 series masks range.

The Avon MP-PAPR module delivers a compact and easily integrated PAPR unit providing cooling, lower user burden and reduced pulmonary stress.

The unique shape and construction allows the wearer to mount the PAPR in multiple ways, maximizing integration while delivering higher protection levels and improved well being.

Multiple product approvals allow the user to add Avon MP-PAPR to existing fielded systems such as the 50 Series APR's, convert into a combination PAPR (Avon CS-PAPR) or revert back to an Avon EZAir configuration.

APPLICATIONS:

- **■** Military
- **■** Law Enforcement
- **■** Special Operations
- **■** Federal Security/Border Control
- **HAZMAT**
- Post-Fire Clean Up



- Increased protection factors
- Reduced breathing burden
- Increased operational time

MODULAR CONSTRUCTION

- Optional remote power switch for simple operation at the mask
- Addition of combination hose module for use with supplied air cylinders of varying sizes (Option)
- Removal of Flexible PAPR Module reverts system back to Avon EZAir mode



INCREASED OPERATIONAL TIME

- Multiple long duration battery packs including electronic fuel gauge on Li-lon rechargeable variant
- Constant flow rate through filter dramatically reduces inhalation resistance and fatigue
- Hot swap battery allows for rapid exchange even in a contaminated zone



MULTI-POSITION POWERED AIR PURIFYING RESPIRATOR



MP-PAPR Technical Data		
Unit Size	420mm L (16.5") x 115mm H (4.5") x 140mm W (5.5")	
Unit Weight (No battery or filter)	1.28 Kg (2.82 lbs)	
Unit Weight (No Filter (6xCR123)	1.5 Kg (3.30 lbs)	
Flow Rate	120 lpm controlled flow	
Operational Noise @120lpm	<60 dBa	
Run time	CR123, Lithium battery	4+ hours
	Li-lon Rechargeable battery	8+ hours
Operational Temperature	-20°C & 49°C	-4°F & 120°F
Protection Factor PAPR	10,000 (PAPR On), 2000 (PAPR Off)	
Alarms	Low Battery, High Resistance, Restricted Flow (all can be silenced)	
Construction	CBRN Hardened Butyl and Noryl	
Operation	Smart integrated power button on unit Remote power button on hose (optional)	
Interface with APR	Crush proof hose with close fit 40mm (STANAG) APR connection, one size fits all	

MP-PAPR Options
Power Options
Replaceable Battery 2800
Li-Ion Rechargeable Battery 5200
Battery Charger
Filtration Options
CBRNCF50e/i Filter
e Filter/CTCF50
Switch Options

* Many configurations available. Please contact Customer Service for

MP-PAPR Base Kit

Avon EZAir Blower
Flexible PAPR Module

Universal Hose

Flow meter

further options.

Remote Power Switch

Universal Hose Cover
PAPR Back Harness



NIOSH Approved CBRN PAPR Statement of Standard and Title 42 CFR 84

TC-14G-0347 with C50 TC-14G-0348 with FM54 TC-14G-0349 with FM53

* MP-PAPR certified in back mount position with PAPR Back Harness only.



Type-examination approval: PPE Regulation 2016/425/EU -Module B: Certificate CE 684847.

The Americas

t: +1 888 286 6440

e: customerservice@avon-protection.com

Europe, Middle East, Asia, Africa & Australasia

t: +44 (0) 1225 896705

e: protection@avon-protection.com

Copyright © 2020 Avon Protection. All rights reserved. GR13222-09



